



Bioeko TAURON Group

Cubature construction



Standard: PN-EN 450-1:2012

Fly ash for concrete



for the production of concrete, cement, prefabrication, and concrete accessories



Standard: PN-EN 12620+A1:2010

TAURONIT B - aggregate



for concrete production



Synthetic gypsum



for drywall, stucco production



for gypsum plaster production



Road construction

Slag sand

Standard: PN-EN 13242+A1:2010



for layers of embankment



for road construction



for the reclamation of mining-damaged areas

PKW D aggregate

National Technical Assessment IBDiM-KOT-2020/0447 issue 4



PKW D aggregate (0-2 mm)



for road construction



PKW D aggregate (0-31,5 mm)



for railroad trackbed construction



PKW D aggregate (0-125 mm)



for layers of embankment

Ash and slag mixture



for layers
of embankment



for construction
ceramics production



for the reclamation
of mining-damaged areas

Slag



for the production
of prefabricated building
elements



for layers
of embankment



for railroad trackbed
construction

Fluidised bottom ash



for soil improvement, ground stabilization, construction of temporary roads, and reinforcement of subgrade layers



for railroad trackbed construction



for the reclamation of mining-damaged areas

Fluidised fly ash



for soil improvement, ground stabilization



for road construction



for mining



Reclamation



Specialised transport fleet



Railway shipments



Sales contact:

e-mail: UPS@tauron.pl
UPW@tauron.pl

Customer Service Team:

+48 572 886 881